




Leading forward.

AGMI
Traffic & Lighting

ALISA Background Shields

- Easy to install
- Suitable for all types of signallers
- No need to varnish
- Quick placement
- A long lifespan



Our ALISA Background Shields

Our background shields are suitable for all types of signalling devices and can be attached to our ALISA structure. The ALISA structures can be attached to aluminium VICA portals, half-timbered portals and steel tube portals.

Important advantages

- Easy to install due to light aluminium
- Suitable for all types of signallers (gauge of the tube is 800mm or 250mm)
- No need to varnish, the signs have corrosion protection due to oxidation
- Quick placement
- Various support constructions possible: Aluminium VICA portals, half-timbered portals and steel tube portals
- Upon delivery all of the fasteners are delivered on a pallet in order for the placement to occur quickly
- The cable gland is provided with loss-free cover plates

Mechanical properties

- The base material is anodised aluminium
- Black cal foil with class 3 reflective white piping
- Maximum gloss is measured at 20° according to 60° / 60° symmetry and to NEN-EN-ISO 2813
- Different dimensions 1800x1800mm (standard) or 1500x1500mm
- Gauge of the tube is 800mm (standard) or also possible in 250mm
- Angle of the fastening device is 1.5 degrees
- Temperature range -30°C to +60°C
- Angle of the fastening device is 1.5 degrees

Quality

- Lifespan is 25 years
- Two year warranty (last year descending)

Bel +31 (0)77 373 91 00

Kijk op www.agmi.nl

AGMI Traffic & Lighting,
Steenweg 11b, 5932 AC Tegelen

• Conform NBd bestek • NEN-EN 1990 (Algemeen) • NEN-EN 1991-1-4 (Windlasten)
• NEN-EN 1999-1-1 • NEN-EN 12899 CE gecertificeerd

Onze certificaten





AGMI
Traffic & Lighting

Leading forward.

Artikelnummers (breedte x hoogte en afstand ophangbuis)

ART10031461 AGS 1800x1800 800 DRIEKHOEK 1000/102

ART10006043 AGS 1800x1800 800 DRIEKHOEK 1000/108

ART10006045 AGS 1800x1800 800 DRIEKHOEK 1000/127

ART10006046 AGS 1800x1800 800 DRIEKHOEK 1200/108

ART10006047 AGS 1800x1800 800 DRIEKHOEK 1200/127

ART10006048 AGS 1800x1800 800 DRIEKHOEK 1600/127

ART10006049 AGS 1800x1800 800 DRIEKHOEK 1600/168

ART10006050 AGS 1800x1800 800 DRIEKHOEK 1800/168

ART10031093 AGS 1800x1800 800 DRIEKHOEK 1800/194

ART10006066 AGS 1800x1800 250 DRIEKHOEK 1600/127

ART10008623 AGS 1800x1800 250 DRIEKHOEK 1600/168

ART10026077 AGS 1800x1800 250 DRIEKHOEK 1800/168

ART10006691 AGS 1500x1500 800 KOKER 150 mm.

ART10006692 AGS 1500x1500 800 KOKER 300 mm.

ART10006700 AGS 1500x1500 800 KOKER 400mm.

Workflow Achtergrondschilden

